

Flex Therapist CEUs

Developmental Coordination Disorder: Sensorimotor Therapy

1. Studies have shown that motor difficulties are often outgrown.

- A. True
 - B. False
-

2. A right-ear advantage:

- A. Affects school-work such as dealing with instructions.
 - B. Increases the sensitivity of the children to non-language sounds such as social sounds and noise.
 - C. A right-ear advantage affects school-work such as dealing with instructions and increases the sensitivity of the children to non-language sounds such as social sounds and noise.
 - D. A right-ear advantage does not affect school-work or increase sensitivity to non-language sounds.
-

3. Compared to the DCD group before treatment, the Norm group performed significantly better on all sub-scales of which test?

- A. Physiological
 - B. Orientation and Balance
 - C. Audiometric
 - D. The Norm group performed significantly better on all sub-scales of all tests
-

4. In terms of the Orientation and Balance Test, which group exhibited significant differences between each other and the other age categories?

- A. The 5 and 8 year olds of the DCD group
 - B. The 10 and 13 year olds of the DCD group
 - C. The 5 and 8 year olds of the Norm group
 - D. The 10 and 13 year olds of the Norm group
-

5. In which group did the 13 year olds performed the best?

- A. The Norm group
 - B. The DCD group
 - C. The 13 year olds performed the best in both the Norm and the DCD groups
 - D. The 13 year olds were not the best performers of either group
-

6. Compared to boys, girls performed significantly better on which sub-scale of the Physiological Test?

- A. Postural reactions
 - B. Eye movements
 - C. Gross motor milestones
 - D. Primary reflexes-tactile stimulation
-

7. Girls performed better than boys on the Orientation and Balance Test.

- A. True
 - B. False
-

8. According to earlier studies, which children reached the adult level of motor function in early puberty?

- A. Children with motor problems.
 - B. Children without diagnosed motor problems.
 - C. Both children with motor problems and those without diagnosed motor problems.
 - D. Neither children with motor problems nor those without diagnosed motor problems reached the adult level of motor function in early puberty.
-

9. Vestibular perception keeps developing up until early puberty.

- A. True
 - B. False
-

10. In terms of the Audiometric Test, a gradual maturation of auditive function is seen throughout childhood, and adulthood level is usually reached prior to the age of:

- A. 13
 - B. 14
 - C. 15
 - D. 16
-

11. A right-ear advantage is mostly likely established in both genders as early as the age of:

- A. 3
 - B. 4
 - C. 5
 - D. 6
-

12. After treatment, all of the following DCD groups performed better than the Norm group, except for:

- A. 8 year olds on the Physiological Test
 - B. 13 year olds on the Physiological Test
 - C. 8 year olds on the Audiometric Test
 - D. 13 year olds on the Orientation and Balance Test
-

Copyright © 2024 Flex Therapist CEUs

Visit us at <https://www.flextherapistceus.com>